



SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™ LPX29 Issue Date: January 2015 Issued by Marine & Industrial Marketing PAGE: 1 OF 4

1. IDENTIFICATION

GHS Product RAPP-IT PIPE REPAIR BANDAGE
Identifier Company Name MARINE & INDUSTRIAL MARKETING (ABN 32051 014 049)
Address 12/14 Argyle Street, Albion, Queensland 4010
Telephone/Fax Number Tel: (07) 3262 3755 Fax: (07) 3262 3255
Emergency Phone Number Poisons Centre – 13 11 26 – 24 hours
Recommended use of the chemical and restrictions on use Used for emergency pipe repair to fluid control pipes.


2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Classification:
Acute Toxicity - Dermal: Category 4
Acute Toxicity - Oral: Category 4
Sensitization - Skin: Category 1

Signal Word (s) WARNING

Hazard Statement (s) H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H317 May cause an allergic skin reaction.

Precautionary Statement (s) P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.

Pictogram (s) Exclamation mark


Precautionary statement – Prevention P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash contaminated skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement – Response INGESTION
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth.
SKIN
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.

Precautionary statement – Disposal P501 Dispose of contents/container to an approved waste disposal plant.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No TM

LXZ9

Issue Date: January 2015

Issued by Marine & Industrial Marketing

PAGE: 2 OF 4

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	ISOCYANATE - TERMINATED	Proprietary	40-70 %
	Polyurethane Resin		
	Fiberglass	65997-17-3	30-60 %

Other Information The Polyurethane Resin contains the following component:
Modified Isocyanate - CAS 25686-28-6 at 0-70%.

4. FIRST AID MEASURES

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.
Ingestion	Unlikely to occur due to the physical state of the product. However, if ingested, do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop and/or persist seek medical attention.
Skin	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. If product adheres to skin remove as soon as possible with acetone or alcohol. Wash contaminated clothing before reuse or discard. If symptoms develop and/or persist seek medical attention.
Eye	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.
First Aid Facilities	Eyewash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use carbon dioxide, water spray, dry chemical or foam. For larger fires, use water spray, water fog or foam.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide, carbon dioxide, oxides of nitrogen and hydrogen cyanide.
Specific Hazards	Combustible solid. This product will burn if exposed to fire.
Decomposition Temp.	Not available.
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe dust or vapour. Wear respiratory protection and full protective clothing to minimise exposure. Collect material avoiding dust generation - then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
----------------------	--

7. HANDLING AND STORAGE

Precautions for Safe Handling	Wear appropriate protective clothing and equipment to prevent inhalation, skin and eye exposure. Avoid inhalation of dust generated when removing the product from pipes, and skin or eye contact. Use disposable gloves. Product will adhere on contact with skin or clothing. If product adheres to skin remove as soon as possible with acetone or alcohol. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Avoid exposure. Do not handle until all safety precautions have been read and understood.
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Avoid contact with moisture or water as product will harden. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™

LPXZ9

Issue Date: January 2015

Issued by Marine & Industrial Marketing

PAGE: 3 OF 4

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	No exposure standards have been established for this material, however, in case of cutting the bandage, dust may be released. The TWA exposure standards for dust not otherwise specified is 10 mg/m ³ . As with all chemicals, exposure should be kept to the lowest possible levels. TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week. Source: Safe Work Australia.
Biological Limit Values	No biological limits allocated.
Engineering Controls	Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours, mists or dusts are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapour/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear disposable gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Knitted fabric coated with sticky resin	Evaporation Rate	Not available
Odour	A unique, weak odour	Odour Threshold	Not available
Decomposition	Not available	Colour	Not available
Temperature Freezing Point	Not available	Octanol/Water	Not available
Boiling Point	Not available	Partition Coefficient	
Solubility in Water	Reacts with water	Flash Point	>200°C
Specific Gravity	1.12 (25°C)	Flammability	Not flammable
pH Value	Not available	Auto-Ignition Temperature	Not available
Vapour Pressure	Not available	Flammable Limits - Lower	Not available
Vapour Density (Air=1)	Not available	Flammable Limits - Upper	Not available

10. STABILITY AND REACTIVITY

Reactivity	Curing reaction occurs with water. Chemical resistance test results for the cured bandage for exposure for 1 month: 1. Exposure to ethyl alcohol, acetone, toluene, xylene, gasoline, mineral spirits, 20% sodium hydroxide, distilled water: No change in bandage. 2. Exposure to 30% hydrochloric acid and 50% caustic soda: No softening of bandage. Some colour change. 3. Exposure to 50% nitric acid: Blistering.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Avoid moisture or water before use. This will cause unwanted hardening.
Incompatible Materials	Uncured bandage: Acids and bases, amines, alcohols and strong oxidizing agents.
Hazardous Decomposition Products	Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide, carbon dioxide, oxides of nitrogen, isocyanates and hydrogen cyanide.
Hazardous Polymerization	Will not occur.

SAFETY DATA SHEET – RAPP-IT PIPE REPAIR BANDAGE

Infosafe No™

LPXZ9

Issue Date: January 2015

ISSUED by MARININD

PAGE: 4 OF 4

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data available for this material.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Ingestion	Ingestion unlikely due to form of product. Harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.
Skin	Harmful in contact with skin. Product can be absorbed through skin with resultant harmful systemic effects. May cause an allergic skin reaction.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Reproductive Toxicity	Not considered to be toxic to reproduction.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Skin Sensitisation	May cause an allergic skin reaction.

12. ECOLOGICAL INFORMATION

Ecotoxicity	No ecological data are available for this material.
Persistence and Degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Prevent this material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
Other Information	Fibreglass waste cannot be destroyed by incineration and can damage incinerators by the formation of a vitrified mass. Fibreglass waste can either be considered an inert waste or as common industrial waste and can be buried in approved landfills.

14. TRANSPORT INFORMATION

Transport Information	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
-----------------------	--

15. REGULATORY INFORMATION

Regulatory Information	Classified as hazardous Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Poisons Schedule	Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of SDS	SDS Reviewed: January 2015 Supersedes: October 2011, April 2014
Contact Person/Point	David Huybers Tel: (07) 3262 3755
Literature References	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH) Globally Harmonised System of classification and labelling of chemicals.

...END OF SDS...

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™

LQ5PY

Issue Date: July 2016

Issued by Marine & Industrial Marketing

PAGE: 1 OF 4

1. IDENTIFICATION


GHS Product Identifier RAPP-IT STEEL PUTTY 90MM
Company Name MARINE & INDUSTRIAL MARKETING (ABN 32051 014 049)
Address 12/14 Argyle Street, Albion, Queensland 4010
Telephone/Fax Number Tel: (07) 3262 3755 Fax: (07) 3262 3255
Emergency Phone Number Poisons Centre – 13 11 26 – 24 hours
Recommended Use of the Chemical and Restrictions on Use Sealants and adhesives

2. HAZARDS IDENTIFICATION

GHS classification of the substance/mixture Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Eye Damage/Irritation: Category 2A
Sensitization - Skin: Category 1
Skin Corrosion/Irritation: Category 2

Signal Word (s) WARNING

Hazard Statement (s) H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Pictogram (s) Exclamation mark


Precautionary statement – Prevention P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash contaminated skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement – Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Precautionary statement – Disposal P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Talc	14807-96-6	30-60 %
	Bisphenol A, epichlorohydrin polymer	25068-38-6	10-<25 %
	Ingredients determined not to be hazardous		

4. FIRST AID MEASURES

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

First Aid Facilities Eyewash, safety shower and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone: Australia 131 126) or a doctor.

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™

LQSPY

Issue Date: July 2016

Issued by Marine & Industrial Marketing

PAGE: 2 OF 4

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use appropriate fire extinguisher for surrounding environment.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, halogenated compounds, metal oxides, oxides of sulphur and oxides of nitrogen.
Specific Hazards arising from the Chemical	No specific fire or explosion hazard.
Decomposition Temperature	Not available
Precautions in connection with Fire	Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Pick up or scrape up into suitable containers for subsequent recycling or disposal. Wash surfaces well with soap and water. Seal all wastes in labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
----------------------	---

7. HANDLING AND STORAGE

Precautions for Safe Handling	Avoid inhalation of dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for Safe Storage including any incompatibilities	Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in original container and do not reuse container. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.
Storage Temperatures	Storage at temperatures greater than 35°C will have a negative effect on shelf life.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values	No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below: Talc (containing no asbestos fibres) TWA: 2.5mg/m ³ TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.
Biological Limit Values	No biological limits allocated.
Appropriate Engineering Controls	This substance is hazardous and should be used with a local exhaust ventilation system, drawing dust/vapour away from workers' breathing zone. A flameproof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/vapour filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with full face shield, side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/ NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™

LQ5PY

Issue Date: July 2016

Issued by Marine & Industrial Marketing

PAGE: 3 OF 4

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Solid	Appearance	Solid
Colour	Gray. Black. [Dark]	Odour	Sulfurous. Pungent. [Strong]
Decomposition Temperature	Not available	Melting Point	Not available
Boiling Point	Not applicable	Solubility in Water	Insoluble in cold water and hot water
Solubility in Organic Solvents	Partially soluble in methanol, diethyl ether, n-octanol and acetone.	Specific Gravity	2.5
pH	Not applicable	Vapour Pressure	Not applicable
Vapour Density (Air=1)	Not available	Evaporation Rate	Not available
Odour Threshold	Not available	Viscosity	Not applicable
Partition Coefficient: n-octanol/water	Not available	Flash Point	Not applicable
Flammability	Product does not sustain combustion	Auto-Ignition Temperature	Not available
Explosion Limit - Upper	Not applicable	Explosion Limit - Lower	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	Not available
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Extremes of temperature, direct sunlight.
Incompatible materials	Not available
Hazardous Decomposition Products	Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide, halogenated compounds, metal oxides, oxides of sulphur and oxides of nitrogen.
Possibility of hazardous reactions	Not available

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicology data available for this product.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	Inhalation of dusts may irritate the respiratory system.
Skin	Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis. May cause an allergic skin reaction. Talc , not containing asbestiform fibres Mild irritant (Human, 72h): 300 micrograms, Intermittent Bisphenol-A-(epichlorhydrin), polymer Moderate irritant (Rabbit, 24 h): 500 microliters Severe irritant (Rabbit, 24 h): 2 milligrams
Eye	Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness. Bisphenol-A-(epichlorhydrin), polymer Mild irritant (Rabbit): 100 milligrams
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	May cause an allergic skin reaction. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard. Talc (not containing asbestos fibres) is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC). This product contains talc in a polymer matrix. Sanding the cured product may release particles containing talc with the polymer and other components of the matrix into the air. The talc contains less than 1% crystalline silica.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not considered to be an aspiration hazard.

SAFETY DATA SHEET – RAPP-IT STEEL PUTTY 90MM

Infosafe No™

LQ5PY

Issue Date: July 2016

Issued by Marine & Industrial Marketing

PAGE: 4 OF 4

12. ECOLOGICAL INFORMATION

Ecotoxicity	The product contains Bisphenol A, epichlorohydrin polymer which is classified as Toxic to aquatic life with long lasting effects. However since the product is insoluble in hot and cold water it is expected that for the product the harmful effects in the aquatic environment will be minimal.
Persistence and degradability	Not available
Mobility	Insoluble in water
Bioaccumulative Potential	Bisphenol-A-(epichlorohydrin) polymer Log Pow: 2.64 to 3.78 Bioconcentration factor (BCF): 31 Bioaccumulation potential: low
Other Adverse Effects	Not available
Environmental Protection	Prevent unused material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
-------------------------	---

14. TRANSPORT INFORMATION

Transport Information	Road and Rail Transport Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition). Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
U.N. Number	None Allocated
UN proper shipping name	None Allocated
Transport hazard class(es)	None Allocated
Special Precautions for User	Not available
IMDG Marine pollutant	No
Transport in Bulk	Not available

15. REGULATORY INFORMATION

Regulatory Information	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Poisons Schedule	Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of MSDS	SDS Created: July 2016
References	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of classification and labelling of chemicals.
Contact Person/Point	David Huybers Tel: (07) 3262 3755

...END OF SDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd. Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.